Author Index

Albarrán, G.
—— and Collins, C. H.
Ion-moderated partition chromatographic determination of $Ca^{14}CO_3$ and $Ba^{14}CO_3$ self-radiolysis products 623
Alessandri, J.-M., see Mahe, N. 511
Angus, L., see Stein, T. A. 591
Arai, Y., see Hirukawa, M. 481
Aue, W. A.
——, Siu, K. W. M. and Berman, S. S.
a.c. Electron-capture detection 335
Auguste, L. J., see Stein, T. A. 591
Banfi, S., see Poy, F. 281
Barkley, D. J.
——, Dahms, T. E. and Villeneuve, K. N.
Permanently coated ion exchangers for liquid chromatographic determination of anionic species in samples from environmental control processes 631
Barkley, R. M., see Sievers, R. E. 9
Bartha, A.
—— and Vigh, G.
Studies in reversed-phase ion-pair chromatography. V. Simultaneous effects of the eluent concentration of the inorganic counter ion and the surface concentration of the pairing ion 503
Bates, J.
——, Carey, P. F. and Godward, R. E.
Combined use of an automated sample processor and a polymer-based high-performance liquid chromatographic column to determine the pharmacokinetics of labetalol in man 455
Baty, J. D.
—— and Rawle, N. W.
Analysis of triacylglycerols by combined high-performance liquid chromatography and gas–liquid chromatography 395
——, Pazouki, S. and Dolphin, J.
Analysis of fatty acids as their anthrylmethyl esters by high-performance liquid chromatography with fluorescence detection 403
Beccaria, A. M.
——, Poggi, G. and Castello, G.
Gas chromatographic determination of carbonates in the corrosion products of metals 641
Belchamber, R. M.
——, Read, H. and Roberts, D. M.
Image processing of high-performance thin-layer chromatographic plates 47
Bellocq, M., see Garrigues, P. 217
Bemgård, A.
—— and Blomberg, L. G.
Evaluation of an immobilized cyanosilicone, 60-CN, as a stationary phase for capillary gas chromatography 125
Benoit, C., see Tusseau, D. 323
Berman, S. S., see Aue, W. A. 335
Berthelin, M., see Durand, J. P. 229
Betti, A., see Coppi, S. 159
Blomberg, L. G., see Bemgård, A. 125
Borrero, E., see Stein, T. A. 591
Bosch, I., see Brückner, H. 569
Boscher, Y., see Durand, J. P. 229
Brückner, H.
——, Bosch, I., Graser, T. and Fürst, P.
Determination of α-alkyl-α-amino acids and α-amino alcohols by chiral-phase capillary gas chromatography and reversed-phase high-performance liquid chromatography 569
Buszewski, B., see Suprynowicz, Z. 145
Caldari, S., see Coppi, S. 159
Cardot, P., see Jaulmes, A. 291
——, see Olivo, J.-P. 383
Carey, P. F., see Bates, J. 455
Castello, G.
—— and Tealdo, G.
Automatic gas chromatographic evaluation of the performance of membranes used for permeation processes 437
Castello, G., see Beccaria, A. M. 641
Chakir, S.
——, Leroy, P., Nicolas, A., Ziegler, J.-M. and Labory, P.
High-performance liquid chromatographic analysis of glucuronic acid conjugates after derivatization with 4-bromomethyl-7-methoxycoumarin 553
Chrétien, J. R., see Walczak, B. 183
Claudy, P., see Morel, D. 73
Cobelli, L., see Poy, F. 281
Collins, C. H., see Albarrán, G. 623
Cooper, J. D. H., see Turnell, D. C. 613
Coppi, S.
——, Betti, A. and Caldari, S.
Characterization of styrene–divinylbenzene column packings for liquid chromatography. Elution of some acidic compounds 159

Corradini, D.
——, Giardi, M. T. and Massacci, A.
Separation and quantitation of ribulose-1,5-bisphosphate carboxylase-oxygenase in spinach leaves by high-performance hydrophobic-interaction chromatography 523
Dahms, T. E., see Barkley, D. J. 631
Dawidowicz, A. L., see Suprynowicz, Z. 145
De Souza, T. L. C.
Dedicated, automatic gas chromatograph for monitoring sulphur gases 413
Dewaele, C., see Verzele, M. 85
Dolphin, J., see Baty, J. D. 403
Dolphin, R. J., see Naish, P. J. 55
Dreux, M., see Walczak, B. 183
Durand, J. P.
——, Boscher, Y., Petroff, N. and Berthelin, M.
Automatic gas chromatographic determination of gasoline components. Application to octane number determination 229
——, see Petroff, N. 241
Dzido, T.
—— and Soczewiński, E.
Coadsorption effects in liquid–solid systems of the type silica–heptane + dioxane. III. Comparison of dioxane with ethyl acetate or 2-propanol as modifiers 489
Eltekov, Yu. A.
—— and Kazakevitch, Yu. V.
Comparison of various chromatographic methods for the determination of adsorption isotherms in solutions 473
Emmelin, M., see Lienne, M. 255
Ewald, M., see Garrigues, P. 217
Fossati, F., see Poy, F. 281
Fürst, P., see Brückner, H. 569
Gaget, C.
——, Wolf, E., Heintzelmann, B. and Wagner, J.
Separation of the enantiomers of substituted putrescine and cadaverine analogues by gas chromatography on chiral and achiral stationary phases 597
Gareil, P., see Lienne, M. 255
Garrigues, P.
——, Parlanti, E., Radke, M., Bellocq, J., Willsch, H. and Ewald, M.
Identification of alkylphenanthrenes in shale oil and coal by liquid and capillary gas chromatography and high-resolution spectrofluorimetry (Shpol'skii effect) 217
Gemmel, B., see Schmitz, F. P. 111
Ghijsen, R. T.
——, Nooitgedacht, F. and Poppe, H.
Coupling of a high-pressure gas chromatograph with a Fourier transform infrared spectrometer 359
Giardi, M. T., see Corradini, D. 523
Giddings, J. C.
Transport, space, entropy, diffusion and flow. Elements underlying separation by electrophoresis, chromatography, field-flow fractionation and related methods 19
Gilkinson, I. S., see Hann, J. T. 317
Godward, R. E., see Bates, J. 455
Goulder, D. P., see Naish, P. J. 55
Gramain, Ph., see Lauth, M. 153
Graser, T., see Brückner, H. 569
Guiochon, G., see Pesek, J. J. 1
Gyllenhaal, O.
—— and Vessman, J.
Recent results in the use of phosgene as a derivatizing reagent prior to gas chromatography of amino alcohols 445
Hagman, A.
—— and Jacobsson, S.
Analysis of volatile organic compounds in polymers by dynamic headspace–multi-dimensional gas chromatography–mass spectrometry 271
Hamilton, R. J.
——, Mitchell, S. F. and Sewell, P. A.
Techniques for the detection of lipids in high-performance liquid chromatography 33
Hanai, T., see Hirukawa, M. 481
Hann, J. T.
—— and Gilkison, I. S.
Gradient liquid chromatographic method for the simultaneous determination of sweeteners, preservatives and colours in soft drinks 317
Heintzelmann, B., see Gaget, C. 597
Herkner, K.
—— and Swoboda, W.
Radio gas chromatography for evaluation of sub-cellular hormone synthesis in the androgen insensitivity syndrome 563
Hese, V. van, see Tuinstra, L. G. M. Th. 307
Hirukawa, M.
——, Arai, Y. and Hanai, T.
Selectivity of hydrophobic compounds on an octadecylbonded vinyl alcohol copolymer gel 481
Hoscheitt, A., see Petroff, N. 241
Husson, J. F., see Lienne, M. 255
Ignatiadis, I., see Jaulmes, A. 291
——, see Olivo, J.-P. 383
Jacobsson, S., see Hagman, A. 271
Janicka, M., see Różyło, J. K. 463
Jansson, S.-O.
—— and Johansson, M.-L.
Peak broadening in ion-pair liquid chromatography of substituted phenoxypropanolamines on dynamically modified silica 495

Jaulmes, A.
——, Ignatiadis, I., Cardot, P. and Vidal-Madjar, C.
Characterization of peak asymmetry with overloaded capillary columns 291
Jinno, K., see Okamoto, M. 171
Johansson, M.-L., see Jansson, S.-O. 495
Karaiskakis, G., see Katsanos, N. A. 423
Katsanos, N. A.
—— and Karaiskakis, G.
Kinetic study of reactivity of marble with sulphur dioxide by reversed-flow gas chromatography 423
Kazakevitch, Yu. V., see Eltekov, Yu. A. 473
Labory, P., see Chakir, S. 553
Lafosse, M., see Walczak, B. 183
Lauth, M.
—— and Gramain, Ph.
Chromatographic separations of alkali and alkaline earth metal cations and some anions on benzo-18-crown-6-modified silicas 153
Lawrence, A. H.
Simple interface for transferring high-boiling compounds from sample adsorption tubes onto capillary gas chromatographic columns 531
Leger, C. L., see Mahe, N. 511
Leroy, P., see Chakir, S. 553
Letoffe, J. M., see Morel, D. 73
Leyendecker, Da., see Schmitz, F. P. 111
Leyendecker, Di., see Schmitz, F. P. 111
Lienne, M.
——, Gareil, P., Rosset, R., Husson, J. F., Emmelin, M. and Neff, B.
Synthesis of silver and copper(II) silica gels for the liquid chromatographic separation of olefinic hydrocarbons in the group analysis of light and heavy petroleum compounds 255
Linard, A., see Mahe, N. 511
Lodkowski, R., see Suprynowicz, Z. 145
Mahe, N.
——, Leger, C. L., Linard, A. and Alessandri, J.-M.
Zonal high-performance affinity chromatography as a tool for protein interaction studies with special reference to the lipase–colipase complex 511
Massacci, A., see Corradini, D. 523
Mitchell, S. F., see Hamilton, R. J. 33
Morel, D.
——, Tabar, K., Serpinet, J., Claudy, P. and Letoffe, J. M.
Influence of the chain length on the physical state of silica surfaces covered by alkyldimethylsiloxy layers 73
Morin-Allory, L., see Walczak, B. 183
Mulholland, M.
—— and Waterhouse, J.
Development and evaluation of an automated procedure for the ruggedness testing of chromatographic conditions in high-performance liquid chromatography 539
Munsteren, A. J. van, see Tuinstra, L. G. M. Th. 307
Naish, P. J.
——, Dolphin, R. J. and Goulder, D. P.
Evaluation strategy for liquid chromatographic instrumentation allowing direct calculation of peak heights and limits of detection 55
Neff, B., see Lienne, M. 255
Nicolas, A., see Chakir, S. 553
Nooitgedacht, F., see Ghijssen, R. T. 359
Ohmacht, R.
——, Tóth, Gy. and Voigt, G.
Separation of serum carotenoids and vitamin A on Chromsil-amino and -cyano phases by a bi-directional gradient elution technique 609
Okamoto, M.
—— and Jinno, K.
Liquid chromatographic retention behaviour in the separation of anti-epileptic drugs on phenyl-, diphenyl-, and triphenyl-bonded silicas and glasses 171
Olivo, J.-P.
——, Cardot, P., Ignatiadis, I. and Vidal-Madjar, C.
Microcomputer system for data acquisition and software handling in chromatography 383
Ościk-Mendyk, B., see Różyło, J. K. 463
Parlanti, E., see Garrigues, P. 217
Pazouki, S., see Baty, J. D. 403
Pesek, J. J.
—— and Guiochon, G.
The allyl-bonded stationary phase. III. *In situ* conversion to a cation-exchange material 1
Petroff, N.
——, Hoscheitt, A. and Durand, J. P.
Automated simulated distillation by gas chromatography. Performance test for petroleum product control 241
——, see Durand, J. P. 229
Poggi, G., see Beccaria, A. M. 641
Poppe, H., see Ghijsen, R. T. 359
Poy, F.
——, Cobelli, L., Banfi, S. and Fossati, F.
Determination of vinyl chloride monomer residue in poly(vinyl chloride) at the parts-per-billion level with an automatic purge-and-trap technique 281
Püttmann, W., see Schaefer, R. G. 203

Radke, M., see Garrigues, P. 217
Rawle, N. W., see Baty, J. D. 395
Read, H., see Belchamber, R. M. 47
Roberts, D. M., see Belchamber, R. M. 47
Rosset, R., see Lienne, M. 255
Rothfusz, P. E., see Schoenmakers, P. J. 91
Różyło, J. K.
——, Ościk-Mendyk, B. and Janicka, M.
Retention parameters of some organic substances and physico-chemical properties of chromatographic systems with two-component mobile phases 463
Schaefer, R. G.
—— and Püttmann, W.
Analysis of hydrocarbons in coals by means of micro-thermodesorption–capillary gas chromatography combination 203
Schmitz, F. P.
——, Leyendecker, D., Leyendecker, D. and Gemmel, B.
Possibilities for optimization of oligomer separation with supercritical fluid chromatography 111
Schoenmakers, P. J.
——, Rothfusz, P. E. and Verhoeven, F. C. C. J. G.
Calculation of pressure, density and temperature profiles in packed-column supercritical fluid chromatography 91
Serpinet, J., see Morel, D. 73
Sewell, P. A., se Hamilton, R. J. 33
Shearer, R. L., see Sievers, R. E. 9
Sievers, R. E.
——, Shearer, R. L. and Barkley, R. M.
Gas chromatographic measurement of carbon monoxide in hydrocarbon matrices with a redox chemiluminescence detector 9
Siu, K. W. M., see Aue, W. A. 335
Soczewiński, E., see Dzido, T. 489
Souza, T. L. C. de, see De Souza, T. L. C. 413
Stein, T. A.
——, Angus, L., Borrero, E., Auguste, L. J. and Wise, L.
High-performance liquid chromatographic assay for prostaglandins with the use of *p*-(9-anthryloxy)phenacyl bromide 591
Suprynowicz, Z.
——, Lodkowski, R., Dawidowicz, A. L. and Buszewski, B.
Dense-layered C_{18} reversed-phase high-performance liquid chromatographic column packings obtained by chemical bonding of octadecylsilicane to controlled-porosity glasses. Influence of activator 145
Swoboda, W., see Herkner, K. 563
Tabar, K., see Morel, D. 73
Taylor, G. A.
New approach to the rapid optimisation of conditions for the isocratic separation of multicomponent mixtures 375
Tealdo, G., see Castello, G. 437
Tóth, Gy., see Ohmacht, R. 609
Traag, W. A., see Tuinstra, L. G. M. Th. 307
Tuinstra, L. G. M. Th.
——, Traag, W. A., Van Munsteren, A. J. and Van Hese, V.
Tandem capillary gas chromatography in pesticide residue analysis 307
Turnell, D. D.
—— and Cooper, J. D. H.
Automated sequential process for preparing samples for analysis by high-performance liquid chromatography 613
Tusseau, D.
—— and Benoit, C.
Routine high-performance liquid chromatographic determination of carboxylic acids in wines and champagne 323
Van Hese, V., see Tuinstra, L. G. M. Th. 307
Van Munsteren, A. J., see Tuinstra, L. G. M. Th. 307
Verhoeven, F. C. C. J. G., see Schoenmakers, P. J. 91
Verzele, M.
—— and Dewaele, C.
On the potential of packed-column micro liquid chromatography with "in-column" fluorescence detection for trace analysis of drugs 85
Vessman, J., see Gyllenhaal, O. 445
Vidal-Madjar, C., see Jaulmes, A. 291
——, see Olivo, J.-P. 383
Vigh, G., see Bartha, A. 503
Villeneuve, K. N., see Barkely, D. J. 631
Voigt, G., see Ohmacht, R. 609
Wagner, J., see Gaget, C. 597
Walczak, B.
——, Morin-Allory, L., Lafosse, M., Dreux, M. and Chrétien, J. R.
Factor analysis and experiment design in high-performance liquid chromatography. VII. Classification of 23 reversed-phase high-performance liquid chromatography packings and identification of factors governing selectivity 183
Waterhouse, J., see Mulholland, M. 539
Willsch, H., see Garrigues, P. 217
Wise, L., see Stein, T. A. 591
Wolf, E., see Gaget, C. 597
Ziegler, J.-M., see Chakir, S. 553